

ONE

Bulkhead Plafonnier

230V
IP65
IK 05

available colors:


- .02 white
- .06 grey
- .08 antrachite
- .09 bronze




Body and fixing plate made of die-cast aluminium alloy, corrosion resistant. Protection with anodizing treatment, epoxy powder base coating and polyester painting. 5mm thick extra-clear or sandblasted flat tempered glass. Product with no visible screws and completely hidden fixing plate.



EDEKA-MARKT RUF,
ST. PETER, GERMANIA



- 1 No visible screws
- 2 Wall fixing plate hidden in the body
- 3 IP 65 protection rate with IP 66 integral cable gland
- 4 Installation of the cable gland with multipolar cables
- 5 Installation of the cable gland with unipolar cables



diffuse

LED
230V



POWER SUPPLY INCLUDED

Transparent Glass
Verre Transparent

15 15 5X3

17W LED
220-240V 50/60Hz
power supply included
Class I

A A+ A++



How to create
the product code?

WHITE versions available:
1 = 3000K (2240 lm)
6 = 4000K (2420 lm)

LED
230V



POWER SUPPLY INCLUDED

Sandblasted Glass
Verre Sablé


15 16 5X3


17W LED
220-240V 50/60Hz
power supply included
Class I

A A+ A++



Technical data







LAMP
Transparent Glass
Verre Transparent



15 15 619
HIT-TC-CE 20W (1700 lm)
G8,5
220-240V 0/50/60Hz
Class I

A A+




LAMP
Sandblasted Glass
Verre Sablé




15 16 619
HIT-TC-CE 20W (1700 lm)
G8,5
220-240V 0/50/60Hz
Class I

A A+





15 16 639
TC-TE 18W (1200 lm)
GX24q-2
220-240V 0/50/60Hz
Class I

A A+



Technical data





diffuse

LED
230V



POWER SUPPLY INCLUDED

Transparent Glass
Verre Transparent

10 10 6X5

5W LED
220-240V 50/60Hz
power supply included
Class I

A A+ A++



How to create
the product code?

WHITE versions available:
1 = 3000K (550 lm)
6 = 4000K (580 lm)

LED
230V



POWER SUPPLY INCLUDED

Sandblasted Glass
Verre Sablé

10 11 6X5

5W LED
220-240V 50/60Hz
power supply included
Class I

A A+ A++



Technical data

