

## Divar Wall 100

### ILLUMINATING MEANS GIVING PLACE

Divar is a compact wall-mounted lighting fixture, available in single or dual emission and in two different sizes.

Made of die-cast and extruded aluminum with cathodolysis treatment and a layer of polyester powder coating, it is resistant to outdoor environments.

The tempered and silk-screened glass diffusers are bonded using a robotic system to ensure IP protection.

It features recessed optics and is equipped with a low-luminance screen to minimize glare.

The Power LED model comes with a transparent, silk-screened tempered glass diffuser, while the Mid-power LED model is provided with sandblasted glass to ensure uniform light emission.

In the 'recessed' version, the front frame is made of white-painted stainless steel, and installation is carried out using stainless steel springs for false ceilings, or alternatively with a casing for solid walls.

*Divar è un apparecchio per installazione a parete compatto, disponibile in mono o bi-emissione in due diverse misure.*

*In alluminio pressofuso ed estruso trattamento di catodolisi e strato di vernice di polvere di poliestere resistente agli ambienti esterni, i diffusori in vetro temprato e serigrafato sono incollati tramite sistema robotico a garanzia della tenuta IP.*

*Caratterizzato da ottica arretrata e dotato di schermo a bassa luminanza per ridurre al massimo l'abbagliamento.*

*Per il modello con Power Led il diffusore è in vetro serigrafato trasparente temperato, mentre il modello con Mid-power Led viene fornito con vetri sabbiati per garantire un'emissione luminosa omogenea.*


*Nella versione "recessed" la ghiera frontale è realizzata in acciaio INOX verniciato bianco, l'installazione avviene mediante delle molle in acciaio inox per i controsoffitti o in alternativa con casafirma per il muro pieno*





# Divar

## wall monoemission




Available finishes:



**Light Source** power led / mid power led  
**Supply** 220-240V  
**Dimmer** upon request  
**CRI** ≥80  
**IP rating** IP65  
**Electrical Class** I  
**Application** wall  
**Diffuser** transparent glass  
 sanblasted glass

**Power** 220-240V 12,1Wled 15,4We  
 5,7Wled, 7,2 We  
**Led Colour temp.** 2700K / 3000K



				lm	white	sand	graphite	aluminium	corten	green
2700K 12,1Wled 15,4 We	220-240V	19°	▲	1095	901032012	901032013	901032014	901032015	901032018	901032016
		32°	▲	1118	901031122	901031123	901031124	901031125	901031128	901031126
		65°	▲	1080	901031132	901031133	901031134	901031135	901031138	901031136


2700K 5,7 Wled 7,2 We	220-240V	diffused	☺	501	901031022	901031023	901031024	901031025	901031028	901031026
-----------------------------	----------	----------	---	-----	-----------	-----------	-----------	-----------	-----------	-----------

				lm	white	sand	graphite	aluminium	corten	green
3000K 12,1Wled 15,4 We	220-240V	19°	▲	1153	901011012	901011013	901011014	901011015	901011018	901011016
		32°	▲	1177	901011122	901011123	901011124	901011125	901011128	901011126
		65°	▲	1137	901011132	901011133	901011134	901011135	901011138	901011136

3000K 5,7 Wled 7,2 We	220-240V	diffused	☺	527	901011022	901011023	901011024	901011025	901011028	901011026
-----------------------------	----------	----------	---	-----	-----------	-----------	-----------	-----------	-----------	-----------

# Divar

## wall double emission h100



Available finishes:




**Light Source** mid power led  
**Supply** 220-240V  
**Dimmer** upon request  
**CRI** ≥80  
**IP rating** IP65  
**Electrical Class** I  
**Application** wall  
**Diffuser** sandblasted

**Power** 220-240V 2x5,7Wled 14,4We  
**Led Colour temp.** 2700K / 3000K



			lm		white	sand	graphite	aluminium	corten	green
2700K	220-240V	diffused	2x501		901031032	901031033	901031034	901031035	901031038	9010310316
2x5,7 Wled 2x7,2 We										
3000K	220-240V	diffused	2x527		901011032	901011033	901011034	901011035	901011038	9010110316
2x5,7 Wled 2x7,2 We										

## ACCESSORIES



Metal box for concrete installation  
 385x162x125mm

code **9079**