

Metoo Bollard

EMOTION IN LIGHT

Metoo Bollard fixture made of high-quality aluminum, treated with cataphoresis and coated with a layer of polyester powder resistant to outdoor environments.

Minimalistic and elegant, with compact dimensions to easily integrate into all architectural designs.

The LED module, available in 2700K and 3000K colour temperatures, is silicon-sealed inside a transparent capsule attached to the body.

The light is reflected and diffused, making it a functional and discreet fixture.

Apparecchio da parete o soffitto in alluminio di primaria qualità, con trattamento di cataforesi e rivestito da uno strato di polvere di poliestere resistente agli ambienti esterni.


Minimale ed elegante, dalle ridotte dimensioni per integrarsi facilmente in tutte le architetture.

Il modulo led, disponibile nelle colorazioni 2700K e 3000K, è siliconato all'interno di una capsula trasparente fissata al corpo, la luce è riflessa e diffusa, caratteristica che lo rende un apparecchio funzionale e discreto.



Metoo

bollard



Available finishes:



Light Source
Supply
CRI
IP rating
Electrical Class
Application
Diffuser

mid power led
220-240V
≥80
IP65
I
floor /ground
transparent glass


Power
Led Colour temp.

220-240V 10Wled - 12,6We
2700K / 3000K




H200		lm	white	sand	graphite	aluminium	corten
2700K 10Wled 12,6We	220- 240V	444	900231012	900231013	900231014	900231015	900231018
3000K 10Wled 12,6We	220- 240V	468	900211012	900211013	900211014	900211015	900211018
H400		lm	white	sand	graphite	aluminium	corten
2700K 10Wled 12,6We	220- 240V	444	900231022	900231023	900231024	900231025	900231028
3000K 10Wled 12,6We	220- 240V	468	900211022	900211023	900211024	900211025	900211028
H800		lm	white	sand	graphite	aluminium	corten
2700K 10Wled 12,6We	220- 240V	444	900231032	900231033	900231034	900231035	900231038
3000K 10Wled 12,6We	220- 240V	468	900211032	900211033	900211034	900211035	900211038

ACCESSORIES



Anchor bolts
219x49 (90max) x 175mm

code **9042**



3-4 way - 4 poles terminal block IP68
53x26x82mm

code **9005**

ACCESSORIES:

code **9042 / 9005**

