diomede

Modulo A/SQ

DISCOVER NEW PLACES, REDISCOVER WHICH ONES WE ALREADY KNOW

Wall-mounted lamp, made of die-cast aluminium with cataphoresis treatment and a layer of polyester powder paint resistant to outdoor environments.

Available in two shapes: square or rectangular, it can be installed directly on the wall or with a housing box to accommodate the power supply, if needed.

Equipped with Mid-power LED in 2700K and 3000K versions, the diffusing screen, available in aluminium or gold, is discreet and elegant, serving both a functional and aesthetic purpose.

Lampada per installazione a parete, in alluminio pressofuso trattamento di cataforesi e strato di vernice di polvere di poliestere resistente agli ambienti esterni.

Proposta in due forme: quadrata o rettangolare può essere installata direttamente a parete o con la cassaforma dove alloggiare l'eventuale alimentatore, a bordo Mid-power led in versione 2700K e 3000K, discreto ed elegante lo schermo diffondente in alluminio o oro oltre che funzionale diventa anche elemento estetico.

sphera.com.au

Modulo A/SQ

100
100
15

Available finishes:

- white
- sand
- graphite
- aluminium
- corten

Light Source	mid power led
Supply	24V
Dimmer	PWM
CRI	≥80
IP rating	IP65
Electrical Class	III
Application	wall

Power	24V 2,4Wled
Led Colour temp.	2700K / 3000K

IK 06 | midpow | wall | III | IP65 | CE

		lm	white	sand	graphite	aluminium	corten
2700K 2,4Wled	24V	97	900631002	900631003	900631004	900631005	900631008

|		lm	white	sand	graphite	aluminium	corten
3000K 2,4Wled	24V	102	900611002	900611003	900611004	900611005	900611008

diomede

ACCESSORIES

Recessed box Modulo A SQ
71x71x53,5mm

code **9018**

Gold shield for
Modulo A/SQ
colour **Gold**

code **9038**