

## Zeus 315

### A WAY TO RETHINK SHAPES WE HAVE ALWAYS KNOWN

Zeus Simple lines for a soft design bollard for ground or surface installation.

The white colour of the reflector, in contrast with the structure, gives this bollard a touch of design that makes it suitable for any type of installation, the positioning of the LED board on the product makes it capable of a charming and low-impact light.

The structure in extruded and die-cast aluminium, the glass fixed under the emission source with silicone glue to guarantee the IP seal, steel fixing plate.

*Zeus ha linee semplici dal design non banale ed è ideale per l'installazione a terra o su superfici; è prodotto in alluminio estruso e pressofuso, finito con trattamento di cataforesi e strato di vernice di polvere di poliestere resistente agli ambienti esterni.*

*La scheda led è fissata sotto la testa emissiva ed equipaggiata da Mid-power led disponibili in 2700K o 3000K.*


*La tenuta IP è garantita dal vetro temprato e sigillato, fissato con tecnologia robotica e collante silconico. La piastra di fissaggio in acciaio.*





# Zeus

**h315**



Available finishes:

- white
- sand
- graphite
- aluminium
- corten

**Light Source** mid power led  
**Supply** 220-240V  
**Dimmer** upon request  
**CRI** ≥80  
**Electrical Class** II  
**IP rating** 65  
**Application** ground  
**Diffuser** transparent tempered glass

**Power** 220-240V 10W  
**Led Colour temp.** led 12,6We 2700K/3000K



		lm	white	sand	graphite	aluminium	corten
2700K	220- 240V	645	901531052	901531053	901531054	901531055	901531058
10Wled							
12,6 We							
3000K	220- 240V	672	901511052	901511053	901511054	901511055	901511058
10Wled							
12,6 We							

## ACCESSORIES



Anchor bolts  
219x49 (90max) x 175mm

code **9042**



ACCESSORIES:  
code **9042**