

Amak Wall




Amak wall is a tapered cone-shaped aluminium lamp available in single or dual emission and dual emission up/down. The top of the lamp has some simple detail cut-outs, enhancing the linear design of the lamp. Finishes are, matt white inside/outside and matt black outside/matt white inside with a transparent, prismatic diffuser within the head of the lamp. Available in 3000K warm white.

IP20    

AMAK - 1 x 8,4W

Dimensions	Ø150mm x 180mm x 140mm
Finish	White White (WHWH) / Black White (BKWH)
Configurations	Surface Mounted
Code / Description	175B10930 / Warm White 3000K 9W
Light Source	LED
Lumen Output	610lm
CRI	90+
Lifespan	50000hrs
Rating	IP20
Dimming	Phase-Cut
Voltage	220-240V



Options


Colour Temperature	4000K / 5000K
Color	Custom Finish

Additional Information

This product comes in our standard colour range however can be coloured-customised to seamlessly integrate into your space. Minimum order quantities apply. For more information please contact our customer service team on +61 03 9427 0231 or email info@sphaera.com.au

AMAK - 2 x 8,4W - Downward

Dimensions	180mm x 305mm x 150mm
Finish	White White (WHWH) / Black White (BKWH)
Configurations	Surface Mounted
Code / Description	175B11830DD / Warm White 3000K 2 x 9W
Light Source	LED
Lumen Output	2 x 610lm
CRI	90+
Lifespan	50000hrs
Rating	IP20
Dimming	Phase-Cut
Voltage	220-240V



Options


Colour Temperature	4000K / 5000K
Color	Custom Finish

Additional Information

This product comes in our standard colour range however can be coloured-customised to seamlessly integrate into your space. Minimum order quantities apply. For more information please contact our customer service team on +61 03 9427 0231 or email info@sphaera.com.au

AMAK - 2 x 8,4W - Up/Down

Dimensions	180mm x 190mm x 160mm
Finish	White White (WHWH) / Black White (BKWH)
Configurations	Surface Mounted
Code / Description	175B11830UD / Warm White 3000K 2 x 9W
Light Source	LED
Lumen Output	2 x 610lm
CRI	90+
Lifespan	50000hrs
Rating	IP20
Dimming	Phase-Cut
Voltage	220-240V



Options

Colour Temperature	4000K / 5000K
Color	Custom Finish

Additional Information

This product comes in our standard colour range however can be coloured-customised to seamlessly integrate into your space. Minimum order quantities apply. For more information please contact our customer service team on +61 03 9427 0231 or email info@sphaera.com.au