



Barra



A range of exterior, slim, linear, surface mounted products where minimalism and flexibility combine to create this versatile fixture. Mounted Individually or grouped Barra can be used to create a visual impact. The base is adjustable up to 180° allowing Barra to meet many varied lighting applications such as wall washing, signage lighting, as a path light or in gardens and parks. In addition to the varied wattages and optics and two profile sizes, Barra is also available in a high output option making it suitable for a wide range of wall, linear and indirect applications. Additional accessories include a modular anti-glare louvre and either Dali or 1-10v dimming.



32 Lambert St Richmond Victoria 3121 Australia +61 3 9427 0231 sphera.com.au

Barra -	525
---------	-----

S25mm x 85mm x 73mm Dark Grey (DG) / Custom Colour (CC) Surface Mounted 7720302450 / Warm White 3000K 10x2W Adjustable Beam 50° LED
Surface Mounted 7720302450 / Warm White 3000K 10x2W Adjustable Beam 50°
7720302450 / Warm White 3000K 10x2W Adjustable Beam 50°
•
.ED
174lm
30+
50000hrs
P68 - IK05
NO.11
24Vdc




Options

Beam Angle	15° / 20° / 30° / 45°
Colour Temperature	4000K / 5000K

Accessories

Power Supply	Remote Driver	
	DALI / 1-10V	
Louvre	Modular anti-glare black louvre	





Additional Information

This product comes in our standard colour range however can be colour-customised to seamlessly integrate into your space. Minimum order quantities apply. For more information please contact our customer service team on +61 3 9427 0231 or email info@sphera.com.au



32 Lambert St Richmond Victoria 3121 Australia +61 3 9427 0231 sphera.com.au

Barra - 1025		
Dimensions	1025mm x 85mm x 73mm	
Finish	Dark Grey (DG) / Custom Colour (CC)	85 1025
Configurations	Surface Mounted	37.5
Code / Description	7740302450 / Warm White 3000K 20x2W Adjustable Beam 50°	
Light Source	LED	
Lumen Output	2308lm	
CRI	80+	
Lifespan	50000hrs	
Rating	IP68 - IK05	
Voltage	24Vdc	
Options		
Beam Angle	15° / 20° / 30° / 45°	
Colour Temperature	4000K / 5000K	
- Colour Temperature	Toolin, Sooon	
Accessories		
Power Supply	Remote Driver	
	Remote Driver	
Louvre	DALI / 1-10V	
		240
	DALI / 1-10V	240
	DALI / 1-10V	240
	DALI / 1-10V	

Additional Information

This product comes in our standard colour range however can be colour-customised to seamlessly integrate into your space. Minimum order quantities apply. For more information please contact our customer service team on +61 3 9427 0231 or email info@sphera.com.au