

# Modulo - Vale



Modulo is a magnetic, LED track system in extruded aluminium with a range of versatile fittings available. The track is available in 2m lengths and can be interconnected via a connecting plate to form a recessed, surface mounted or pendant system. The power supply is remote. Vale is an adjustable Modulo fitting in die-cast aluminium available in three sizes and wattages.













Dimensions	34mm x 91mm x 181mm
Finish	White (WH) / Black (BK)
Configurations	Track Mounted
Code / Description	75L3X130 / Warm White 3000K 3x1W Beam 48° Adjustable
Light Source	LED
Lumen Output	66lm
CRI	90+

50000hrs

IP20 24 Vdc



### Vale - 6x1W

Lifespan Rating

Voltage

Vale - 3x1W

Voltage	24 Vdc
Rating	IP20
Lifespan	50000hrs
CRI	90+
Lumen Output	147lm
Light Source	LED
Code / Description	75L3X130 / Warm White 3000K 6x1W Beam 48° Adjustable
Configurations	Track Mounted
Finish	White (WH) / Black (BK)
Dimensions	34mm x 164mm x 181mm
Dimensions	34mm x 164mm x 181mm



## **Remote Driver Options**


Remote Driver	Fixed Output / Phase-Cut / 1-10V / DALI	
Beam Angle	12° / 23°	

#### Additional Information



### Vale - 12x1W

Dimensions	34mm x 323mm x 181mm
Finish	White (WH) / Black (BK)
Configurations	Track Mounted
Code / Description	75L12X130 / Warm White 3000K 12x1W Beam 48° Adjustable
Light Source	LED
Lumen Output	808lm
CRI	90+
Lifespan	50000hrs
Rating	IP20
Voltage	24 Vdc



### **Remote Driver Options**

Remote Driver	Fixed Output / Phase-Cut / 1-10V / DALI
Beam Angle	12° / 23°

#### Additional Information



Dimensions	34mm x 164mm x 181mm	7 1M
inish	White (WH) / Black (BK)	
Configurations	Track Mounted	
Code / Description	/ Warm White 3000K W Adjustable	<u> </u>
ight Source	LED	
umen Output		
CRI	90+	
ifespan	50000hrs	
Rating	IP20	
/oltage	24 Vdc	
/ale - Opal 320		
Dimensions	34mm x 323mm x 181mm	*[
inish	White (WH) / Black (BK)	
Configurations	Track Mounted	5
Code / Description	75L1030 / Warm White 3000K 10W Adjustable	
ight Source	LED	
umen Output	405lm	
CRI	90+	
ifespan	50000hrs	
Rating	IP20	
/oltage	24 Vdc	

#### Additional Information



Dimensions 34mm x 641mm x 181mm  Finish White (WH) / Black (BK)  Configurations Track Mounted  Code / Description 75L2030 / Warm White 3000K 20W Adjustable  Light Source LED  Lumen Output 812lm  CRI 90+  Lifespan 50000hrs  Rating IP20  Voltage 24 Vdc
Configurations Track Mounted  Code / Description 75L2030 / Warm White 3000K 20W Adjustable  Light Source LED  Lumen Output 812Im  CRI 90+  Lifespan 50000hrs  Rating IP20
Code / Description         75L2030 / Warm White 3000K 20W Adjustable           Light Source         LED           Lumen Output         812lm           CRI         90+           Lifespan         50000hrs           Rating         IP20
Light Source LED  Lumen Output 812Im  CRI 90+  Lifespan 50000hrs  Rating IP20
Lumen Output         812lm           CRI         90+           Lifespan         50000hrs           Rating         IP20
CRI         90+           Lifespan         50000hrs           Rating         IP20
Lifespan 50000hrs Rating IP20
Rating IP20
Voltage 24 Vdc
Remote Driver Options
Remote Driver Fixed Output / Phase-Cut / 1-10V / DALI

#### Additional Information



3 Circuits Modulo Syste	m - Surface / Pendant	
Dimensions	39mm x 76mm x 1000-1500-2000mm	39 1000
Finish	White (WH) / Black (BK) / Custom Colour (CC)	76
Configurations	Surface / Pendant	39 1500
Code	75SM	76
Voltage	24 Vdc	
		76 6 7

#### Additional Information





Accessories		
Code / Description	75SUSKIT / Suspension Kit	
Finish	White / Black / Custom Colour	
Code / Description	75RECKIT / Recessed Kit	
Finish	White / Black / Custom Colour	
Code / Description	75DWN90CNR / "L" 90° Corner	
Finish	White / Black / Custom Colour	90 - 76
Code / Description	75INR90CNR / Inner Corner	
Finish	White / Black / Custom Colour	22 23 23 23 23 23 23 23 23 23 23 23 23 2
Code / Description	75OUT90CNR / Outer Corner	<sup>39</sup>     123
Finish	White / Black / Custom Colour	
Code / Description	75MECHCONN / Connection Kit	0 •
Finish	Black / Custom Colour	0
Code / Description	75ELECCONN / Conductor	
Finish	Black / Custom Colour	
Code / Description	75COVER / Cover 3m	
Finish	White / Black / Custom Colour	

#### Additional Information