

Novo




The Novo and Novo Mini LED downlights are designed to provide a fully flexible light source. The LED is recessed into the luminaire housing with a PC lens to reduce glare, and with 356° rotation and 50° tilt the Novo is a very functional and flexible solution for any project lighting requirement. The Novo range is ideal for Retail, Hospitality, Residential and Commercial projects as a down light, accent light and wall washer.

IP20    

Novo Mini

Dimensions	Ø110mm x 102mm
Finish	White (WH) / Black (BK) / Custom Colour (CC)
Configurations	Ceiling Recessed
Code / Description	481530 / Warm White 3000K 13W Adjustable Dimmable 36°
Light Source	LED
Lumen Output	1150lm
CRI	90+
Lifespan	50000hrs
Rating	IP20
Dimming	Phase-Cut
Voltage	220-240V



Options


Beam Angle	15° / 24°
Colour Temperature	4000K / 5000K
Dimming Driver	DALI

Additional Information

This product comes in our standard colour range however can be colour-customised to seamlessly integrate into your space. Minimum order quantities apply. For more information please contact our customer service team on +61 3 9427 0231 or email info@sphera.com.au

Novo

Dimensions	Ø150mm x 116mm
Finish	White (WH) / Black (BK) / Custom Colour (CC)
Configurations	Ceiling Recessed
Code / Description	483030 / Warm White 3000K 30W Dimmable 36°
Light Source	LED
Lumen Output	2369lm
CRI	90+
Lifespan	50000hrs
Rating	IP20
Dimming	Phase-Cut
Voltage	220-240V



Options

Beam Angle	15° / 24°
Colour Temperature	4000K / 5000K
Dimming Driver	DALI

Additional Information

This product comes in our standard colour range however can be colour-customised to seamlessly integrate into your space. Minimum order quantities apply. For more information please contact our customer service team on +61 3 9427 0231 or email info@sphera.com.au