

## Okki




Okki a 1 or 2-light adjustable down light is a uniquely designed light source providing flexibility and innovation. The LED module is set deep within the fitting, additionally there is an internal black baffle providing maximum visual comfort and the ultimate in low glare lighting.

**IP20**   **CE** 

## Okki - 7W

Dimensions	Ø91mm x 54
Finish	White (WH) / Black (BK)
Configurations	Ceiling Recessed
Code / Description	247B073050DIM / Warm White 3000K 7W 50° Dimmable
Light Source	LED
Lumen Output	522lm
CRI	90+
Lifespan	50000hrs
Rating	IP20
Dimming	Phase-Cut
Voltage	220-240V



Cut-out



## Options


Finish	Custom Colour (CC)
Colour Temperature	2700K / 4000K
Dimming Driver	DALI   Casambi

## Additional Information

This product comes in our standard colour range however can be colour-customised to seamlessly integrate into your space. Minimum order quantities apply. For more information please contact our customer service team on +61 3 9427 0231 or email [info@sphaera.com.au](mailto:info@sphaera.com.au)

## Okki - 2x7W


Dimensions	Ø91mm x 54
Finish	White (WH) / Black (BK)
Configurations	Ceiling Recessed
Code / Description	247B2X73050DIM / Warm White 3000K 2x7W 50° Dimmable
Light Source	LED
Lumen Output	2x522lm
CRI	90+
Lifespan	50000hrs
Rating	IP20
Dimming	Phase-Cut
Voltage	220-240V



Cut-out



78mm



## Options

Finish	Custom Colour (CC)
Colour Temperature	2700K / 4000K
Dimming Driver	DALI   Casambi

## Additional Information

This product comes in our standard colour range however can be colour-customised to seamlessly integrate into your space. Minimum order quantities apply. For more information please contact our customer service team on +61 3 9427 0231 or email [info@sphaera.com.au](mailto:info@sphaera.com.au)