

Okki




Okki a 1 or 2-light adjustable down light is a uniquely designed light source providing flexibility and innovation. The LED module is set deep within the fitting, additionally there is an internal black baffle providing maximum visual comfort and the ultimate in low glare lighting.

IP20    

Okki - 7W

Dimensions	Ø91mm x 54
Finish	White (WH) / Black (BK) / Custom Colour (CC)
Configurations	Wall Surface
Code / Description	93073050DIM / Warm White 3000K 7W Adjustable Dimmable 50°
Light Source	LED
Lumen Output	522lm
CRI	90+
Lifespan	50000hrs
Rating	IP20
Dimming	Phase-Cut
Voltage	220-240V



Options


Beam Angle	15° / 24° / 36°
Colour Temperature	4000K / 5000K
Dimming Driver	DALI

Additional Information

This product comes in our standard colour range however can be colour-customised to seamlessly integrate into your space. Minimum order quantities apply. For more information please contact our customer service team on +61 3 9427 0231 or email info@sphaera.com.au

Okki - 2x7W

Dimensions	Ø91mm x 54
Finish	White (WH) / Black (BK) / Custom Colour (CC)
Configurations	Wall Surface
Code / Description	932X73050DIM / Warm White 3000K 2x7W Adjustable Dimmable 50°
Light Source	LED
Lumen Output	2x522lm
CRI	90+
Lifespan	50000hrs
Rating	IP20
Dimming	Phase-Cut
Voltage	220-240V



Options

Beam Angle	15° / 24° / 36°
Colour Temperature	4000K / 5000K
Dimming Driver	DALI

Additional Information

This product comes in our standard colour range however can be colour-customised to seamlessly integrate into your space. Minimum order quantities apply. For more information please contact our customer service team on +61 3 9427 0231 or email info@sphaera.com.au