

Prado




Prado features a compact, cylindrical shaped housing with a fully shielded light source and a hidden mounting bracket. Available in either one way or two way light emission, Prado has an IP65 rating with marine grade 316 Stainless Steel construction, making it suitable for external use in coastal areas too. A contemporary modern design it can be used to light stairs, porches, patios, pathways and architectural structures as well as for interior feature lighting.

IP65    

Prado - 7W

Dimensions	Ø60mm x 120mm x 90mm
Finish	White (WH) / Black (BK) / Custom Colour (CC)
Configurations	Wall Mounted
Code / Description	186B07303865 / Warm White 3000K 7W Dimmable
Light Source	LED
Lumen Output	690lm
CRI	80+
Lifespan	50000hrs
Rating	IP65
Dimming	Phase-Cut
Voltage	220-240V



Options


Colour Temperature	4000K / 5000K
--------------------	---------------

Additional Information

This product comes in our standard colour range however can be colour-customised to seamlessly integrate into your space. Minimum order quantities apply. For more information please contact our customer service team on +61 3 9427 0231 or email info@sphera.com.au

Prado - 2x7W

Dimensions	Ø60mm x 170mm x 90mm
Finish	White (WH) / Black (BK) / Custom Colour (CC)
Configurations	Wall Mounted
Code / Description	186B2X7303865 / Warm White 3000K 2x7W Dimmable
Light Source	LED
Lumen Output	2x690lm
CRI	80+
Lifespan	50000hrs
Rating	IP65
Dimming	Phase-Cut
Voltage	220-240V



Options

Colour Temperature	4000K / 5000K
--------------------	---------------

Additional Information

This product comes in our standard colour range however can be colour-customised to seamlessly integrate into your space. Minimum order quantities apply. For more information please contact our customer service team on +61 3 9427 0231 or email info@sphera.com.au