

Ring




Ring is an elegant and minimal pendant suitable for any residential or commercial space. Sizes vary from 600mm to 1200mm diameter allowing large voids and spaces to be lit efficiently and decoratively. Available in white, black or aluminium finish, Ring will compliment any interior space. Custom diameters and up/down dual emission available in request.

IP20   **CE** 

Ring - 600

Dimensions	Ø600mm x 95mm
Finish	White (WH) / Black (BK) / Aluminum (AL) / Custom Colour (CC)
Configurations	Pendant
Code / Description	866130600 / Warm White 3000K 40W
	866140600 / Natural White 4000K 40W
Light Source	LED
Lumen Output	3900lm
CRI	80+
Lifespan	50000hrs
Rating	IP20
Voltage	220-240V



Options


Dimming	Integral DALI / Push Dim Driver
	Remote Phase-cut Driver

Additional Information

This product comes in our standard colour range however can be colour-customised to seamlessly integrate into your space. Minimum order quantities apply. For more information please contact our customer service team on +61 3 9427 0231 or email info@sphera.com.au

Ring - 800

Dimensions	Ø800mm x 95mm
Finish	White (WH) / Black (BK) / Aluminum (AL) / Custom Colour (CC)
Configurations	Pendant
Code / Description	866130800 / Warm White 3000K 50W 866140800 / Natural White 4000K 50W
Light Source	LED
Lumen Output	4900lm
CRI	80+
Lifespan	50000hrs
Rating	IP20
Voltage	220-240V



Options


Dimming	Integral DALI / Push Dim Driver Remote Phase-cut Driver

Additional Information

This product comes in our standard colour range however can be colour-customised to seamlessly integrate into your space. Minimum order quantities apply. For more information please contact our customer service team on +61 3 9427 0231 or email info@sphera.com.au

Ring - 1000

Dimensions	Ø1000mm x 95mm
Finish	White (WH) / Black (BK) / Aluminum (AL) / Custom Colour (CC)
Configurations	Pendant
Code / Description	8661301000 / Warm White 3000K 63W
	8661401000 / Natural White 4000K 63W
Light Source	LED
Lumen Output	6100lm
CRI	80+
Lifespan	50000hrs
Rating	IP20
Voltage	220-240V



Options


Dimming	Integral DALI / Push Dim Driver
	Remote Phase-cut Driver

Additional Information

This product comes in our standard colour range however can be colour-customised to seamlessly integrate into your space. Minimum order quantities apply. For more information please contact our customer service team on +61 3 9427 0231 or email info@sphera.com.au

Ring - 1200

Dimensions	Ø1200mm x 95mm
Finish	White (WH) / Black (BK) / Aluminum (AL) / Custom Colour (CC)
Configurations	Pendant
Code / Description	8661301200 / Warm White 3000K 76W
	8661401200 / Natural White 4000K 76W
Light Source	LED
Lumen Output	7300lm
CRI	80+
Lifespan	50000hrs
Rating	IP20
Voltage	220-240V



Options

Dimming	Integral DALI / Push Dim Driver
	Remote Phase-cut Driver

Additional Information

This product comes in our standard colour range however can be colour-customised to seamlessly integrate into your space. Minimum order quantities apply. For more information please contact our customer service team on +61 3 9427 0231 or email info@sphera.com.au